



SECTION I: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: **RCL 1000 AEROSOL**

Product use: Used as all-purpose lubricant.

Manufacturer: WYS Manufacturing Ltd.
Bay 7 & 8, 4216 – 54th Ave. SE
Calgary, Alberta T2C 2E3
Phone 1-403-252-2239
Canada

Supplier: Maryn International Ltd.
Bay 5 & 6, 4216 – 54th Ave. SE
Calgary, Alberta T2C 2E3
Phone 1-403-252-2239
Canada

Emergency Phone Number: CANUTEC – 24 hr Emergency No. 1-613-996-6666
Business Hour Number 1-403-252-2239
(Monday through Friday 8:00am to 4:30pm MST)

MSDS Prepared By MARYN Research
Phone 1-403-252-2239

Date Revised 1 February 2013

SECTION II: COMPOSITION/ INFORMATION ON INGREDIENTS

Hazardous Ingredients	Concentration %	C.A.S. #	LD ₅₀ (Species/Route)	LC ₅₀ (Species/Route)
Hydrotreated light distillate (petroleum)	15-40%	64742-47-8	>3160 mg/kg (Rabbit/Dermal) >15000 mg/kg (Rat/Oral)	NA
Sulfonic acids, petroleum, sodium salts	1-5%	68608-26-4	NA	NA
Acrylic Copolymer	0.1-1%	Trade Secret	NA	NA
Carbon Dioxide	2-3%	124-38-9	NA	NA

NA: Not Available



SECTION III: Hazards Identification

Emergency Overview	May cause slight skin and eye irritation.
Route of entry	Skin and eye contact are the primary routes of exposure to this product.
Ingestion	No significant hazard. Minimal toxicity. Ingestion of large amounts may cause laxative effects and may cause irritation of the gastrointestinal tract. If drawn into lungs from swallowing or vomiting, may cause bronchopneumonia or pulmonary edema.
Inhalation	No inhalation dangers at room temperature as there are no vapours. If product is misted at elevated temperature, high concentration of vapour and/or mist may cause irritation, experienced as nasal discomfort and discharge.
Skin Contact and absorption	Not expected to cause more than slight skin irritation. Frequent or prolonged contact may irritate the skin and cause a skin rash, defatting, drying, and dermatitis.
Eye Contact	Slight irritation to the eyes but will not cause injury to the eye tissue.
Effects of Chronic Exposure	Repeated exposure over prolonged periods of time may cause irritation to the skin, respiratory system and eyes. Follow good industrial hygiene practices to avoid exposure.
Effects of Acute Exposure	Breathing mist caused by high temperature or swallowing large quantities may be irritating to skin, respiratory system, mucous membranes and eyes.

SECTION IV: First Aid Measures

Ingestion	Do not induce vomiting. Have victim drink 240 to 300 mL of water. Do not give anything by mouth if victim is rapidly losing consciousness, is unconscious, or convulsing. Call physician immediately.
Skin Contact	Wash well with soap and water (at least 5 minutes). Launder clothes prior to re-use.
Inhalation	Remove source of contamination. Remove victim to fresh air. If no relief is obtained, consult physician.
Eye Contact	Flush with clean tepid water for 15 minutes keeping eyelids open. If irritation persists, consult physician.
Notes to Physician	Not available.

SECTION V: Fire-Fighting Measures

Flammability	Non flammable at ambient temperature. Liquid may burn at temperatures above flash point if exposed to an open flame.
Means of Extinction	Carbon dioxide foam, dry chemicals. Keep containers cool with water spray. When fighting fire, treat as petroleum product, wear full protective clothing, including NIOSH approved self-contained



breathing apparatus. Avoid spreading with water flooding.

Flash Point (ASTM D92)	122°C (252°F)
Upper Flammability Limits	Approximately 5.0% by volume
Lower Flammability Limits	Approximately 0.8% by volume
Auto Ignition Temperature	Approximately 129°C (264°F)
Hazardous Combustion Products	Oxides of carbon, sulphur, nitrogen, phosphorous, zinc, hydrogen sulphide, and dense smoke.
Fire and Explosion Hazards	None at normal temperatures below flash point. Do not cut, weld, or pressurize empty container. Container may explode in heat of fire.
Sensitivity to impact Static Discharge	This product contains ingredients that may accumulate static charge, which may cause an electric spark as an ignition source. Use proper bonding and/or grounding procedures.

SECTION VI: Accidental Release Measures

Personal Protection	Wear suitable protective equipment. Eliminate sources and or potential sources of ignition.
Environmental Precautions	Product is readily soluble in water. Do not flush to sewers, streams or other bodies of water. For disposal, see Section XIII.
Methods for cleaning up	Absorb on inert material such as sand, earth, vermiculite. Sweep up and collect in a suitable container for disposal. Observe government regulations.
Large spills	Stop leak if without risk. Dike to contain spill. Pump excess material into suitable container (metal drums, metal tanks, or such).

SECTION VII: Handling and Storage

Handling	Avoid excess heat, formation of oil mist, breathing vapours and mist from hot oil, and prolonged or repeated contact with skin
Storage	Do not store above 50 °C (122°F) or in direct sunlight. U.F.C (NFPA 30B) Level 3 Aerosol.

SECTION VIII: Exposure Controls / Personal Protection

Exposure Limits



If used in a way that generates a mist, observe the limits for mineral oil mist

Component	Exposure Limit (ACGIH)	Exposure Limit (OSHA)	Immediately Dangerous to Life and Health (IDLH)
Mineral Oil Mist	5 mg/m ³ TWA-TLV 10 mg/m ³ STEL-TLV	5 mg/m ³ TWA-PEL Not Established STEL-PEL	2500 mg/m ³
Carbon Dioxide	5000 ppm TWA, 30,000 ppm STEL	5000 ppm TWA	NA

- Engineering Controls** Use in a well-ventilated area. If user's operation generates mist, use ventilation to keep exposure to airborne contaminants below exposure limits
- Respiratory Protection** Use approved respirator with dual organic vapour / mist and particulate cartridge if vapour concentration exceeds permissible exposure limit. A NIOSH-approved positive-pressure, air-supplied respirator or self-contained breathing apparatus may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits.
- Eye Protection** Use chemical splash goggles if risk of splashing present.
- Skin Protection** Use rubber or plastic apron.
- Hand Protection** Use oil resistant gloves. (Neoprene, nitrile, polyvinyl alcohol, fluoro-elastomer.)

SECTION IX: Physical and Chemical Properties

- Physical State:** Liquid
- Odour:** Mild petroleum odour
- Appearance:** Light amber, translucent
- Odour Threshold:** Not established
- Specific Gravity:** 0.880 at 20°C (68°F)
- Vapour Pressure:** <1.1mm Hg at 60°C (140°F)
- Vapour Density:** 8.0 (Air = 1)
- Evaporation Rate:** <0.01 (nButyl Acetate = 1)
- Boiling Point:** 218°C-255°C (424°F-491°F)
- Pour Point:** -50°C (-58°F)
- Solubility in Water:** Soluble
- pH:** 8.0 (50:50 water extraction)
- Partitioning Coefficient:** Not available

SECTION X: Stability and Reactivity

- Chemical Stability:** Stable
- Incompatibility:** Avoid contact with oxidizing agents, reducing agents, strong acids and bases, and ignition source.
- Reactivity:** No reactivity
- Polymerization:** Will not occur



Decomposition Products: Oxides of carbon, sulphur, nitrogen, phosphorous, zinc, hydrogen sulphide, and dense smoke.

SECTION XI: Toxicological Information

Effects of Acute and Chronic Exposure:

Skin Contact	Frequent or prolonged contact may irritate, defat, and dry the skin and cause a skin rash, or dermatitis. Acute exposure is expected to cause only slight irritation, if any.
Skin Absorption	No evidence of adverse effects from available information. Prolonged contact may cause mild irritation.
Eye Contact	Slight irritation to eyes, but will not injure eye tissue.
Inhalation	No inhalation dangers at room temperature as there are no vapours. If the product is misted, high concentrations of vapours and/or mist may cause respiratory tract irritation, experienced as nasal discomfort and discharge.
Ingestion	No significant hazard. Minimal toxicity. Ingestion of large amounts may cause laxative effects. If drawn into lungs from swallowing or vomiting, may cause chemical pneumonitis or pulmonary edema.
Irritancy:	Slight irritation to eyes. Frequent or prolonged contact may irritate skin. If misted, inhalation of mist may cause irritation.
Sensitization:	Repeated or prolonged contact is not expected to cause sensitization, based on available data and known hazards.
Carcinogenicity:	This product contains material that has not been listed as a carcinogen or potential carcinogen by either the National Toxicology Program, International Agency for Research on Cancer, or the Occupational Safety and Health Administration.
Reproductive Toxicity:	No information is available and no adverse effects are anticipated.
Teratogenicity:	No information is available and no adverse effects are anticipated.
Embryotoxicity:	No information is available and no adverse effects are anticipated.
Mutagenicity:	No information is available and no adverse effects are anticipated.
Toxicologically Synergistic Products:	Not available.

SECTION XII: Ecological information

Environmental Fate:

No specific environmental fate data is available. This product is not expected to be readily biodegradable.



Environmental Effects:

No specific toxicity or environmental effect data is available.

SECTION XIII: Disposal Consideration

RCRA 40 CFR 261 Classification Not listed

US EPA Waste Number / Classification Not available

Waste Disposal

Dispose of waste material in compliance with all federal, state, provincial and local regulations. Incinerate in a furnace or bury in an approved landfill where permitted under appropriate federal, provincial and local regulations.

SECTION XIV: Transport Information

Department of Transport:	Not regulated under DOT
TDG – Canada	Not regulated under TDG.
DOT/TDG Proper Shipping Name:	None
DOT/TDG Hazard Class:	None
Product Identification Number:	None
Packing Group:	None
DOT/TDG Labels: Primary:	None required
Subsidiary:	None required
DOT/TDG Placards:	None required
IMDG Code Hazard Classification:	UN1950, Aerosols, 2.1.

SECTION XV: Regulatory Information

CPR Compliance:

This product has been classified in accordance with the hazard criteria of *the Controlled Products Regulations* and the MSDS contains all of the information required by those regulations.

OSHA Hazard Communication Standards 29CFR 1910.1200:

This product is not known to contain any of the carcinogens required to be listed under OSHA Hazards Communication Standards 29 CFR 1910.1200.

WHMIS Classification:

This product is classified under the following WHMIS category Class B : D5 (Flammable Aerosol)

CERCLA:

Not listed on CERCLA (40CFR 302.4). If this product is accidentally spilled, it is not subject to special reporting under requirements of the Comprehensive Environmental Response and Liability Act. We recommend you contact local authorities to determine if there may be other local reporting requirements.



SARA Title III Section 311/312:

Under the provisions of Title III, Section 311/312 of the Superfund Amendments and Reauthorization Act, this product is classified into the following hazard category: **NONE**.

SARA Title III Section 313:

This product does not contain more than 1 % of any of the chemical substances listed under SARA Section 313.
Hazard Category For Section 311/312: Acute Health, Fire Hazard, Sudden Release of Pressure

RCRA:

Not listed on the **RCRA** (40 CFR 261.33) for hazardous waste.

NPRI:

Not listed in the **NPRI** under Canadian EPA.

Chemical Inventory

Canada: The ingredients of this product are on the DSL.

United States: The ingredients of this product are on the TSCA

SECTION XVI Other Information

HMIS Information

Degree of Hazard	HMIS Rating
4= Severe	Health 1
3= Serious	Flammability 1
2= Moderate	Reactivity 0
1= Slight	
0= Minimal	

Revision Information

Prepared by: Maryn Research

Phone: 1-403-252-2239

Effective Date: 1 February 2013

Supersedes: June 8, 2011

Revision: 5.0

Maryn International Ltd. (the "Company"), shall not be liable for any damages arising from the information contained on this data sheet howsoever caused, if the product in question is not employed in a normal or foreseeable use or circumstances. The Company shall not be liable for any indirect or consequential damages arising out of the use of the information contained on this data sheet howsoever caused.